

Exercises (April 20, 2016):

1. Typeset

$$a^2 = b^2 + c^2$$

2. Typeset

$$F = G_N \frac{m_1 m_2}{r^2}$$

3. Typeset

$$n_{\pm}(E, T) = \frac{1}{e^{\frac{E}{k_B T}} \pm 1} = \frac{1}{e^{\hbar\omega/k_B T} \pm 1}$$

Note: This uses the greek letter ω and the symbol \hbar .

4. Typeset

$$F_{\mu\nu} = [D_{\mu}, D_{\nu}] = \partial_{\mu} A_{\nu} - \partial_{\nu} A_{\mu} = \partial_{[\mu} A_{\nu]}$$

Note: This uses the greek letters μ and ν , and the symbol ∂ .

Solutions

Exercise 1: \item Typeset

```
\[
a^2=b^2+c^2
\]
\bigskip
```

Exercise 2: \[

```
F = G_N\frac{m_1m_2}{r^2}
\]
\bigskip
```

Exercise 3: \[

```
n_{\pm}(E,T)=\frac{1}{\hbar}\frac{e^{-\frac{E}{k_{BT}}}}{k_{BT}}
=\frac{1}{\hbar}\frac{e^{-\frac{E}{k_{BT}}}}{k_{BT}}
\]
\bigskip
```

Exercise 4: \[

```
F_{\mu\nu} = [D_{\mu} , D_{\nu}]
=\partial_{\mu} A_{\nu}-\partial_{\nu} A_{\mu}
=\partial_{[\mu} A_{\nu]}
\]
```

Exercises (April 27, 2016):

1. Typeset this:

“Taylor expansion $e^x = \sum_{n=0}^{\infty} \frac{1}{n!} x^n$.”

$$\int_0^1 \frac{df}{dx} dx = f(1) - f(0)$$

$$e^{\zeta(s)} = \prod_{n=1}^{\infty} e^{1/n^s}$$

(This uses the greek letter zeta).

2. Typeset this definition:

$$\int_0^{\infty} f(x) dx \equiv \lim_{t \rightarrow \infty} \int_0^t f(x) dx$$

3. Typeset this equation:

$$\sqrt[n]{x^{1/n}} = (\sqrt[n]{x})^{\frac{1}{n}} = x^{1/n^2}$$

4. Typeset:

$$|\vec{a} + \vec{b}|^2 = \vec{a} \cdot \vec{a} + 2\vec{a} \cdot \vec{b} + \vec{b} \cdot \vec{b}$$

Solutions

Exercise 1: ‘Taylor expansion $e^x = \sum_{n=0}^{\infty} \frac{1}{n!} x^n$.’
 $\int_0^1 \frac{df}{dx} dx = f(1) - f(0)$
 $e^{\zeta(s)} = \prod_{n=1}^{\infty} e^{1/n^s}$

Exercise 2: $\int_0^{\infty} f(x) dx \equiv \lim_{t \rightarrow \infty} \int_0^t f(x) dx$

Exercise 3: $\sqrt[n]{x^{1/n}} = (\sqrt[n]{x})^{1/n} = x^{1/n^2}$

Exercise 4: $|\vec{a} + \vec{b}|^2 = \vec{a} \cdot \vec{a} + 2\vec{a} \cdot \vec{b} + \vec{b} \cdot \vec{b}$

Exercises (May 3, 2016):

1. Typeset these two expressions as separate *displayed equations*:

$$2 \left[3 \frac{a}{z} + 2 \left(\frac{a}{d} + 7 \right) \right] \quad x^2 \left(\sum_n A_n + 3 \left(b + \frac{1}{c} \right) \right) \Big|_0$$

2. Typeset this, using the `multline*` environment:

$$2 \left(1 + \frac{1}{2} + \frac{1}{2^2} + \frac{1}{2^3} + \frac{1}{2^4} + \frac{1}{2^5} + \frac{1}{2^6} + \frac{1}{2^7} + \frac{1}{2^8} + \frac{1}{2^9} + \frac{1}{2^{10}} + \frac{1}{2^{11}} \right) = \frac{4095}{1024}$$

3. We previously had

```
\[ 2\left[3\frac{a}{z}+
      2\left(\frac{a}{d}+7\right)\right] \]
```

giving

$$2 \left[3 \frac{a}{z} + 2 \left(\frac{a}{d} + 7 \right) \right]$$

Make it look like this:

$$2 \left[3 \frac{a}{z} + 2 \left(\frac{a}{d} + 7 \right) \right]$$

4. Typeset: The Pauli matrices are:

$$\sigma^1 = \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}, \quad \sigma^2 = \begin{pmatrix} 0 & -i \\ i & 0 \end{pmatrix} \quad \text{and} \quad \sigma^3 = \begin{pmatrix} 1 & \\ 0 & -1 \end{pmatrix}$$

Note: The blank in the 2nd entry of the 1st row of σ^3 is a deliberate typo

5. Typeset this:

| Jersey | First Name | Last Name |
|--------|------------|------------------------------|
| 10 | Cristiano | Ronaldo |
| 11 | Didier | Drogba |
| 10 | Edson | Arantes do Nascimento (Pele) |

6. Typeset this:

| Shape | Area | Perimeter |
|---|-----------------|----------------------------|
| Disk of radius R | πR^2 | $2\pi R$ |
| Rectangle of sides L_1 and L_2 | $L_1 L_2$ | $2(L_1 + L_2)$ |
| Square of side $L_1 = L_2$ | | |
| Right triangle, base b and height h | $\frac{1}{2}bh$ | $b + h + \sqrt{b^2 + h^2}$ |

Solutions

Exercise 1:
$$\left[2 \left(\frac{a}{z} + 2 \left(\frac{a}{d} + 7 \right) \right) \right] \left[\left(x^2 \left(\sum_{n=1}^3 \left(b + \frac{1}{c} \right) \right) \right) \right]_0$$

Exercise 2:
$$\begin{aligned} & 2 \left(1 + \frac{1}{2} + \frac{1}{2^2} + \frac{1}{2^3} + \frac{1}{2^4} \right. \\ & \quad \left. + \frac{1}{2^5} + \frac{1}{2^6} + \frac{1}{2^7} \right. \\ & \quad \left. + \frac{1}{2^8} + \frac{1}{2^9} \right) \left(\frac{1}{2^{10}} + \frac{1}{2^{11}} \right) = \frac{4095}{1024} \end{aligned}$$

Exercise 3:
$$2 \operatorname{Bigg} \left[3 \frac{a}{z} + 2 \operatorname{bigg} \left(\frac{a}{d} + 7 \operatorname{bigg} \right) \operatorname{Bigg} \right]$$

Exercise 4: The Pauli matrices are:

$$\sigma^1 = \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}, \quad \sigma^2 = \begin{pmatrix} 0 & -i \\ i & 0 \end{pmatrix}, \quad \sigma^3 = \begin{pmatrix} 1 & 0 \\ 0 & -1 \end{pmatrix}$$

Exercise 5:

| Jersey | & | First Name | & | Last Name |
|--------|---|------------|---|------------------------------|
| 10 | & | Cristiano | & | Ronaldo |
| 11 | & | Didier | & | Drogba |
| 10 | & | Edson | & | Arantes do Nascimento (Pele) |

Exercise 6:

| Shape | & | Area | & | Perimeter |
|---|---|-----------------|---|----------------------------|
| Disk of radius R | & | πR^2 | & | $2\pi R$ |
| Rectangle of sides L_1 and L_2 | & | $L_1 L_2$ | & | $2(L_1 + L_2)$ |
| Square of side $L_1 = L_2$ | & | L^2 | & | $4L$ |
| Right triangle, base b and height h | & | $\frac{1}{2}bh$ | & | $b + h + \sqrt{b^2 + h^2}$ |