

Exercises (October 30, 2017):

1. Exercise: try typesetting this

It doe snot work with beamer

> The first entry here

> Then the second

> etc

- The first entry here

- Then the second

- etc

Hint: Use `\textgreater` for “>” and `\bullet` for “•”.

2. Make a tripple nested list.

3. How do you get this default:

> First level

★ Second level

- Third level

Check that it works by typesetting the tripple ensted list of the pervious exercise.

Hint: Symbols used: `\textgreater`, `\star`, `\bullet`.

4. Typeset this:

First The first entry here

Second Then the second

Last Then the last

with the descriptors “First” in red color, “Second” in blue and “Last” in black.

Hint: `\usepackage{color}`

Solutions

Exercise 1: `\renewcommand{\labelitemi}{\textgreater}`

```
\begin{itemize}
\item The first entry here
\item Then the second
\item etc
\end{itemize}

\renewcommand{\labelitemi}{\bullet}

\begin{itemize}
\item The first entry here
\item Then the second
\item etc
\end{itemize}
```

Exercise 2: Here is an example of a tripple nested list:

```
\begin{itemize}
\item The first entry here
\begin{itemize}
\item The first sub-entry here
\item Then the second sub-entry
\begin{itemize}
\item The first sub-sub-entry here
\item Then the second sub-sub-entry
\end{itemize}
\item etc
\end{itemize}
\item Return to original list, etc
\end{itemize}
```

Exercise 3: `\renewcommand{\labelitemi}{\textgreater}`
`\renewcommand{\labelitemii}{\star}`
`\renewcommand{\labelitemiii}{\bullet}`

Exercise 4: Per the hint place `\usepackage{color}` in the preamble. Then

```
\begin{description}
\item[\color{red}First] The first entry here
\item[\color{blue}Second] Then the second
\item[\color{black}Last] Then the last
\end{description}
```

Exercises (November 13, 2017):

1. Typeset

$$\begin{array}{lll} a = b & c = d & e = f \\ g = b & h = d & k = f \end{array}$$

2. Typeset

$$a^2 = b^2 + c^2$$

3. Typeset

$$F = G_N \frac{m_1 m_2}{r^2}$$

4. Typeset

$$n_{\pm}(E, T) = \frac{1}{e^{\frac{E}{k_B T}} \pm 1} = \frac{1}{e^{\hbar\omega/k_B T} \pm 1}$$

Note: This uses the greek letter ω and the symbol \hbar .

5. Typeset

$$F_{\mu\nu} = [D_{\mu}, D_{\nu}] = \partial_{\mu} A_{\nu} - \partial_{\nu} A_{\mu} = \partial_{[\mu} A_{\nu]}$$

Note: This uses the greek letters μ and ν , and the symbol ∂ .

6. Typeset these (the first is inline, the next two are separate displayed equations):

“Taylor expansion $e^x = \sum_{n=0}^{\infty} \frac{1}{n!} x^n$.”

$$\int_0^1 \frac{df}{dx} dx = f(1) - f(0)$$

$$e^{\zeta(s)} = \prod_{n=1}^{\infty} e^{1/n^s}$$

(This uses the greek letter zeta).

Solutions

Exercise 1: `\begin{align*}`
`a&=b & c&=d & e&=f \\`
`g&=b & h&=d & k&=f`
`\end{align*}`

Note: the star in `align*` is used in order to omit equation numbering.

Exercise 2: `\item Typeset`
`\[`
`a^2=b^2+c^2`
`\]`
`\bigskip`

Exercise 3: `\[`
`F = G_N\frac{m_1m_2}{r^2}`
`\]`
`\bigskip`

Exercise 4: `\[`
`n_{\pm}(E,T)=\frac{1}{\exp\{\frac{E}{k_{BT}}\}\pm 1}`
`=\frac{1}{\exp\{\frac{\hbar\omega}{k_{BT}}\}\pm 1}`
`\]`
`\bigskip`

Exercise 5: `\[`
`F_{\mu\nu} = [D_{\mu} , D_{\nu}]`
`=\partial_{\mu} A_{\nu}-\partial_{\nu} A_{\mu}`
`=\partial_{\mu} A_{\nu}-\partial_{\nu} A_{\mu}`
`\]`

Exercise 6: ‘‘Taylor expansion $e^x=\sum_{n=0}^{\infty} \frac{1}{n!}x^n$.’’
`\[\int_0^1 \frac{df}{dx}dx= f(1)-f(0)\]`
`\[e^{\zeta(s)}=\prod_{n=1}^{\infty} e^{1/n^s}\]`

Exercises (November 20, 2017):

1. Typeset this:

“Taylor expansion $e^x = \sum_{n=0}^{\infty} \frac{1}{n!} x^n$.”

$$\int_0^1 \frac{df}{dx} dx = f(1) - f(0)$$

$$e^{\zeta(s)} = \prod_{n=1}^{\infty} e^{1/n^s}$$

(This uses the greek letter zeta).

2. Typeset these two expressions as separate *displayed equations*:

$$2 \left[3 \frac{a}{z} + 2 \left(\frac{a}{d} + 7 \right) \right] \quad x^2 \left(\sum_n A_n + 3 \left(b + \frac{1}{c} \right) \right) \Big|_0$$

3. Typeset this, using the `multline*` environment:

$$2 \left(1 + \frac{1}{2} + \frac{1}{2^2} + \frac{1}{2^3} + \frac{1}{2^4} + \frac{1}{2^5} + \frac{1}{2^6} + \frac{1}{2^7} + \frac{1}{2^8} + \frac{1}{2^9} + \frac{1}{2^{10}} + \frac{1}{2^{11}} \right) = \frac{4095}{1024}$$

4. Make the first entry of Exercise 2 look like this:

$$2 \left[3 \frac{a}{z} + 2 \left(\frac{a}{d} + 7 \right) \right]$$

Solutions

Exercise 1: ‘Taylor expansion $e^x = \sum_{n=0}^{\infty} \frac{1}{n!} x^n$.’
 $\int_0^1 \frac{df}{dx} dx = f(1) - f(0)$
 $e^{-\zeta(s)} = \prod_{n=1}^{\infty} e^{-1/n^s}$

Exercise 2: $\left[2 \left[3 \frac{a}{z} + 2 \left(\frac{a}{d} + 7 \right) \right] \right]$
and

$\left[\left[\left[x^2 \left(\sum_n A_n + 3 \left(b + \frac{1}{c} \right) \right) \right] \right] \right]_0$

Exercise 3: $\begin{aligned} & 2 \left(1 + \frac{1}{2} + \frac{1}{2^2} + \frac{1}{2^3} + \frac{1}{2^4} \right. \\ & \quad \left. + \frac{1}{2^5} + \frac{1}{2^6} + \frac{1}{2^7} \right. \\ & \quad \left. + \frac{1}{2^8} + \frac{1}{2^9} \right) \\ & \left(\frac{1}{2^{10}} + \frac{1}{2^{11}} \right) = \frac{4095}{1024} \end{aligned}$

Exercise 4: $\left[2 \text{Bigg} \left[3 \frac{a}{z} + 2 \text{bigg} \left(\frac{a}{d} + 7 \right) \text{Bigg} \right] \right]$

Exercises (November 27, 2017):

1. Typeset: The Pauli matrices are:

$$\sigma^1 = \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}, \quad \sigma^2 = \begin{pmatrix} 0 & -i \\ i & 0 \end{pmatrix} \quad \text{and} \quad \sigma^3 = \begin{pmatrix} 1 & \\ 0 & -1 \end{pmatrix}$$

Note: The blank in the 2nd entry of the 1st row of σ^3 is a deliberate typo

2. Typeset this:

$$\left\| \begin{array}{c|c} a \times b & c + d \\ \alpha & \gamma \\ \hline 3 & 1.1 \end{array} \right\|$$

3. Typeset this:

Jersey	First Name	Last Name
10	Cristiano	Ronaldo
11	Didier	Drogba
10	Edson	Arantes do Nascimento (Pele)

4. Typeset this:

Shape	Area	Perimeter
Disk of radius R	πR^2	$2\pi R$
Rectangle of sides L_1 and L_2	$L_1 L_2$	$2(L_1 + L_2)$
Square of side $L_1 = L_2$		
Right triangle, base b and height h	$\frac{1}{2}bh$	$b + h + \sqrt{b^2 + h^2}$

5. Optional exercise: Typeset this (note the alignment at equal sign)

a	$x^2 + y = 30$
b	$100 = \sin(\theta) + \cos \varphi$
c	$q \cup p = q \cap p$

Solutions

Exercise 1: The Pauli matrices are:

```
\[\sigma^1=\begin{pmatrix}0&1\\1&0\end{pmatrix},\quad
\sigma^2=\begin{pmatrix}0&-i\\i&0\end{pmatrix}\quad\text{and}\quad
\sigma^3=\begin{pmatrix}1&\\0&-1\end{pmatrix}
\]
```

Exercise 2: \[

```
\begin{array}{|r|l|l|}
a\times b& c+d\\
\alpha & \gamma\\
\hline
3&1.1
\end{array}
\]
```

Exercise 3: \begin{center}

```
\begin{tabular}{c|l|l|}
Jersey & First Name & Last Name \\
\hline\hline
10 & Cristiano & Ronaldo \\
\hline
11 & Didier & Drogba\\
\hline
10 & Edson & Arantes do Nascimento (Pele)
\end{tabular}
\end{center}
```

Exercise 4: \begin{center}

```
\begin{tabular}{|p{2in}|c|c|}
Shape&Area&Perimeter\\
\hline\hline
Disk of radius $R$ & $\pi R^2$ & $2\pi R$\\
\hline
Rectangle of sides $L_1$ and $L_2$ & $L_1L_2$ & $2(L_1+L_2)$\\
\cline{1-1}
Square of side $L_1=L_2$ & & \\
\hline
Right triangle, base $b$ and height $h$ & $\frac{1}{2}bh$ & $b+h+\sqrt{b^2+h^2}$
\end{tabular}
\end{center}
```

Exercise 5: Solution:

```
\begin{center}
\begin{tabular}{|l|r@{~$=$~}l|}
\hline
a&$x^2+y$&30\\
\hline
b&$100\sin(\theta)+\cos\varphi$\\
\hline
c&$q\cup p$ & $q \cap p$\\
\hline
\end{tabular}
\end{center}
```


Exercises (December 4, 2017):

1. Experiments:

- (a) Paste a lot of text into your document, enough for a couple of pages of typeset material, at least 6 good paragraphs. (*Hint*: Find one good paragraph, copy it into the buffer, and paste it many times into your document).

Then insert your *Dream Team Table* between paragraphs 2 and 3. Include a caption with a `\label{dreamteam}` (you provide the text). Insert `\ref{dreamteam}` somewhere in the text before and again after where you inserted the table.

Typeset once with each of positioning `b`, `t` and `h`.

- (b) Copy the table and caption and paste into the space between paragraphs 4 and 5. Typeset. Check console (warning on repeated labels).

Change label of second table: `\label{dreamteam2}`. Insert a few `\ref{dreamteam2}` somewhere in the text before and again after where you inserted the table.

2. Resize and crop the triton image to get this:



3. *Experiment* with images just as you did with tables above, and with both tables and figures in the same document. Download additional figures from the web.

Solutions

Exercise 1: Make sure you leave a blank line between paragraphs!

Exercise 2:

```
\begin{center}
\includegraphics[width=3cm,trim= 7cm 6cm 8cm 1cm,clip]{gl-5-triton.png}+
\end{center}
```