



## Level 1 BIAS

	dim	scalar	vector	vector	scalars	5-element array
SUBROUTINE xROTG (					A, B, C, S )	PARAM )
SUBROUTINE xROTNG(				D1, D2, A, B,	C, S )	PARAM )
SUBROUTINE xROT ( N,		X, INCX, Y, INCY,				
SUBROUTINE xROT ( N,		X, INCX, Y, INCY,				
SUBROUTINE xSWAP ( N,		X, INCX, Y, INCY )				
SUBROUTINE xSCAL ( N,		ALPHA, X, INCX )				
SUBROUTINE xCOPY ( N,		X, INCX, Y, INCY )				
SUBROUTINE xAXPY ( N,		ALPHA, X, INCX, Y, INCY )				
FUNCTION xDOT ( N,		X, INCX, Y, INCY )				
FUNCTION xDOTU ( N,		X, INCX, Y, INCY )				
FUNCTION xDOTC ( N,		X, INCX, Y, INCY )				
FUNCTION xSDOT ( N,		X, INCX, Y, INCY )				
FUNCTION xHBM2 ( N,		X, INCX )				
FUNCTION xASUM ( N,		X, INCX )				
FUNCTION IxAMAX( N,		X, INCX )				

## Level 2 BIAS

	dim	b-width	scalar	matrix	vector	scalar	vector
xGEMV (			M, N,	ALPHA, A, LDA, X, INCX,	BETA, Y, INCY )		
xGEMV (			M, N, KL, KU,	ALPHA, A, LDA, X, INCX,	BETA, Y, INCY )		
xHEMV ( UPLO,			N,	ALPHA, A, LDA, X, INCX,	BETA, Y, INCY )		
xHEMV ( UPLO,			N, K,	ALPHA, A, LDA, X, INCX,	BETA, Y, INCY )		
xHEMV ( UPLO,			N,	ALPHA, AP, X, INCX,	BETA, Y, INCY )		
xSYMV ( UPLO,			N, N,	ALPHA, A, LDA, X, INCX,	BETA, Y, INCY )		
xSYMV ( UPLO,			N, K,	ALPHA, A, LDA, X, INCX,	BETA, Y, INCY )		
xSPMV ( UPLO,			N, N,	ALPHA, AP, X, INCX,	BETA, Y, INCY )		
xTMV ( UPLO,			N,	A, LDA, X, INCX )			
xTMV ( UPLO,			N, K,	A, LDA, X, INCX )			
xTMV ( UPLO,			N,	AP, X, INCX )			
xTRSV ( UPLO,			N,	A, LDA, X, INCX )			
xTRSV ( UPLO,			N, K,	A, LDA, X, INCX )			
xTPSV ( UPLO,			N,	AP, X, INCX )			
xGER (			M, N,	ALPHA, X, INCX, Y, INCY, A, LDA )			
xGERU (			M, N,	ALPHA, X, INCX, Y, INCY, A, LDA )			
xGERC (			M, N,	ALPHA, X, INCX, Y, INCY, A, LDA )			
xHER ( UPLO,			N,	ALPHA, X, INCX, A, LDA )			
xHER ( UPLO,			N,	ALPHA, X, INCX, AP )			
xHER2 ( UPLO,			N,	ALPHA, X, INCX, Y, INCY, A, LDA )			
xHER2 ( UPLO,			N,	ALPHA, X, INCX, Y, INCY, AP )			
xSYR ( UPLO,			N,	ALPHA, X, INCX, A, LDA )			
xSYR ( UPLO,			N,	ALPHA, X, INCX, AP )			
xSYR2 ( UPLO,			N,	ALPHA, X, INCX, Y, INCY, A, LDA )			
xSPR2 ( UPLO,			N,	ALPHA, X, INCX, Y, INCY, AP )			

## Level 3 BIAS

	dim	scalar	matrix	matrix	scalar	matrix
xGEMM (		M, N, K,	ALPHA, A, LDA, B, LDB,	BETA, C, LDC )		
xSYMM ( SIDE,		M, N,	ALPHA, A, LDA, B, LDB,	BETA, C, LDC )		
xHEMM ( SIDE,		M, N,	ALPHA, A, LDA, B, LDB,	BETA, C, LDC )		
xSYRK (		N, K,	ALPHA, A, LDA,	BETA, C, LDC )		
xHERK (		N, K,	ALPHA, A, LDA,	BETA, C, LDC )		
xSTR2K (		N, K,	ALPHA, A, LDA, B, LDB,	BETA, C, LDC )		
xHER2K (		N, K,	ALPHA, A, LDA, B, LDB,	BETA, C, LDC )		
xTRMM ( SIDE,		M, N,	ALPHA, A, LDA, B, LDB )			
xTRSM ( SIDE,		M, N,	ALPHA, A, LDA, B, LDB )			

	prefixes
Generate plane rotation	S, D
Generate modified plane rotation	S, D
Apply plane rotation	S, D
Apply modified plane rotation	S, D
$x \leftrightarrow y$	S, D, C, Z
$x \leftarrow \alpha x$	S, D, C, Z, CS, ZD
$y \leftarrow x$	S, D, C, Z
$y \leftarrow \alpha x + y$	S, D, C, Z
$dot \leftarrow x^T y$	S, D, C, Z
$dot \leftarrow x^H y$	S, D, DS
$dot \leftarrow \alpha + x^T y$	S, D, SC, DZ
$norm2 \leftarrow \ x\ _2$	S, D, SC, DZ
$asum \leftarrow \ re(x)\ _1 + \ im(x)\ _1$	S, D, C, Z
$amax \leftarrow 1^{st} k \ni  re(x_k)  +  im(x_k) $	S, D, C, Z
$= max( re(x_i)  +  im(x_i) )$	

$y \leftarrow \alpha Ax + \beta y, y \leftarrow \alpha A^T x + \beta y, y \leftarrow \alpha A^H x + \beta y, A - m \times n$	S, D, C, Z
$y \leftarrow \alpha Ax + \beta y, y \leftarrow \alpha A^T x + \beta y, y \leftarrow \alpha A^H x + \beta y, A - m \times n$	S, D, C, Z
$y \leftarrow \alpha Ax + \beta y$	C, Z
$y \leftarrow \alpha Ax + \beta y$	C, Z
$y \leftarrow \alpha Ax + \beta y$	C, Z
$y \leftarrow \alpha Ax + \beta y$	S, D
$y \leftarrow \alpha Ax + \beta y$	S, D
$x \leftarrow Ax, x \leftarrow A^T x, x \leftarrow A^H x$	S, D, C, Z
$x \leftarrow Ax, x \leftarrow A^T x, x \leftarrow A^H x$	S, D, C, Z
$x \leftarrow Ax, x \leftarrow A^T x, x \leftarrow A^H x$	S, D, C, Z
$x \leftarrow A^{-1} x, x \leftarrow A^{-T} x, x \leftarrow A^{-H} x$	S, D, C, Z
$x \leftarrow A^{-1} x, x \leftarrow A^{-T} x, x \leftarrow A^{-H} x$	S, D, C, Z
$x \leftarrow A^{-1} x, x \leftarrow A^{-T} x, x \leftarrow A^{-H} x$	S, D, C, Z
$A \leftarrow \alpha xy^T + A, A - m \times n$	S, D
$A \leftarrow \alpha xy^T + A, A - m \times n$	C, Z
$A \leftarrow \alpha xy^H + A, A - m \times n$	C, Z
$A \leftarrow \alpha xy^H + A$	C, Z
$A \leftarrow \alpha xz^H + A$	C, Z
$A \leftarrow \alpha xy^H + y(\alpha x)^H + A$	C, Z
$A \leftarrow \alpha xy^H + y(\alpha x)^H + A$	C, Z
$A \leftarrow \alpha xz^T + A$	S, D
$A \leftarrow \alpha xz^T + A$	S, D
$A \leftarrow \alpha xy^T + \alpha yz^T + A$	S, D
$A \leftarrow \alpha xy^T + \alpha yz^T + A$	S, D

$C \leftarrow \alpha op(A) op(B) + \beta C, op(X) = X, X^T, X^H, C - m \times n$	S, D, C, Z
$C \leftarrow \alpha AB + \beta C, C \leftarrow \alpha BA + \beta C, C - m \times n, A = A^T$	S, D, C, Z
$C \leftarrow \alpha AB + \beta C, C \leftarrow \alpha BA + \beta C, C - m \times n, A = A^H$	C, Z
$C \leftarrow \alpha A A^T + \beta C, C \leftarrow \alpha A^T A + \beta C, C - n \times n$	S, D, C, Z
$C \leftarrow \alpha A A^T + \beta C, C \leftarrow \alpha A^T A + \beta C, C - n \times n$	C, Z
$C \leftarrow \alpha A B^T + \beta C, C \leftarrow \alpha A^T B + \beta C, C - n \times n$	S, D, C, Z
$C \leftarrow \alpha A B^H + \beta C, C \leftarrow \alpha A^H B + \beta C, C - n \times n$	C, Z
$B \leftarrow \alpha op(A) B, B \leftarrow \alpha B op(A), op(A) = A, A^T, A^H, B - m \times n$	S, D, C, Z
$B \leftarrow \alpha op(A^{-1}) B, B \leftarrow \alpha B op(A^{-1}), op(A) = A, A^T, A^H, B - m \times n$	S, D, C, Z

## Meaning of prefixes

S - REAL  
D - DOUBLE PRECISION  
C - COMPLEX  
Z - COMPLEX\*16  
(this may not be supported  
by all machines)

For the Level 2 BLAS a set of extended-precision routines with the prefixes ES, ED, EC, EZ may also be available.

## Level 1 BLAS

In addition to the listed routines there are two further extended-precision dot product routines DQDOT and DQDOTA.

## Level 2 and Level 3 BLAS

Matrix types:

GE - General	GB - General Band	SP - Sum. Packed
SY - Symmetric	SB - Sym. Band	HP - Herm. Packed
HE - Hermitian	HB - Herm. Band	TP - Triang. Packed
TR - Triangular	TB - Triang. Band	

## Level 2 and Level 3 BLAS Options

Dummy options arguments are declared as CHARACTER\*1 and may be passed as character strings.

TRANS = 'No transpose', 'Transpose',  
'Conjugate transpose' ( $X, X^T, X^H$ )  
UPLO = 'Upper triangular', 'Lower triangular',  
DIAG = 'Non-unit triangular', 'Unit triangular',  
SIDE = 'Left', 'Right' (A or op(A) on the left,  
or A or op(A) on the right)

For real matrices, TRANS = 'T' and TRANSX = 'C' have the same meaning.

For Hermitian matrices, TRANS = 'T' is not allowed.

For complex symmetric matrices, TRANS = 'H' is not allowed.

## References

C. Lawson, R. Hanson, D. Kincaid, and F. Krogh, "Basic Linear Algebra Subprograms for Fortran Usage," *ACM Trans. on Math. Soft.* 5 (1979) 308-325  
J.J. Dongarra, J. DuCroiz, S. Hammarling, and R. Hanson, "An Extended Set of Fortran Basic Linear Algebra Subprograms," *ACM Trans. on Math. Soft.* 14,1 (1988) 1-32

J.J. Dongarra, I. Duff, J. DuCroiz, and S. Hammarling, "A Set of Level 3 Basic Linear Algebra Subprograms," *ACM Trans. on Math. Soft.* (1989)

## Obtaining the Software via netlib@ornl.gov

To receive a copy of the single-precision software,

type in a mail message:

```
send sbblas from blas
send sbblas2 from blas
send sbblas3 from blas
```

To receive a copy of the double-precision software,

type in a mail message:

```
send dbblas from blas
send dbblas2 from blas
send dbblas3 from blas
```

To receive a copy of the complex single-precision software,

type in a mail message:

```
send cblas from blas
send cblas2 from blas
send cblas3 from blas
```

To receive a copy of the complex double-precision software,  
type in a mail message:

```
send zblas from blas
send zblas2 from blas
send zblas3 from blas
```

Send comments and questions to [lapack@cs.utk.edu](mailto:lapack@cs.utk.edu) .

# Basic

# Linear

# Algebra

# Subprograms

# A Quick Reference Guide

University of Tennessee  
Oak Ridge National Laboratory  
Numerical Algorithms Group Ltd.

May 11, 1997