

Exercises (October 28, 2020):

1. Exercise: Typeset this by changing the default “bullet” symbol twice.

> The first entry here
 > Then the second
 > etc

- The first entry here
- Then the second
- etc

Hint: Use `\textgreater` for “>” and `\bullet` for “•”.

2. Make a tripple nested list.

3. How do you get this default:

> First level
 * Second level
 • Third level

Check that it works by typesetting the tripple ensted list of the pervious exercise.

Hint: Symbols used: `\textgreater`, `\star`, `\bullet`.

4. Typeset this:

First The first entry here

Second Then the second

Last Then the last

with the descriptors “First” in red color, “Second” in blue and “Last” in black.

Hint: `\usepackage{color}`

Solutions

Exercise 1: `\renewcommand{\labelitemi}{\textgreater}`

```
\begin{itemize}
\item The first entry here
\item Then the second
\item etc
\end{itemize}

\renewcommand{\labelitemi}{\bullet}

\begin{itemize}
\item The first entry here
\item Then the second
\item etc
\end{itemize}
```

Exercise 2: Here is an example of a tripple nested list:

```
\begin{itemize}
\item The first entry here
\begin{itemize}
\item The first sub-entry here
\item Then the second sub-entry
\begin{itemize}
\item The first sub-sub-entry here
\item Then the second sub-sub-entry
\end{itemize}
\item etc
\end{itemize}
\item Return to original list, etc
\end{itemize}
```

Exercise 3: `\renewcommand{\labelitemi}{\textgreater}`

```
\renewcommand{\labelitemii}{\star}
\renewcommand{\labelitemiii}{\bullet}
```

Exercise 4: Per the hint place `\usepackage{color}` in the preamble. Then

```
\begin{description}
\item[\color{red}First] The first entry here
\item[\color{blue}Second] Then the second
\item[\color{black}Last] Then the last
\end{description}
```

Exercises (November 18, 2020):

1. Typeset

$$\begin{array}{lll} a = b & c = d & e = f \\ g = b & h = d & k = f \end{array}$$

2. Typeset

$$a^2 = b^2 + c^2$$

3. Typeset two of these: φ , σ , ϑ , Ξ , ϱ

4. Typeset

$$F = G_N \frac{m_1 m_2}{r^2}$$

5. Typeset

$$n_{\pm}(E, T) = \frac{1}{e^{\frac{E}{k_B T}} \pm 1} = \frac{1}{e^{\hbar\omega/k_B T} \pm 1}$$

Note: This uses the greek letter ω and the symbol \hbar .

6. Typeset

$$F_{\mu\nu} = [D_{\mu}, D_{\nu}] = \partial_{\mu} A_{\nu} - \partial_{\nu} A_{\mu} = \partial_{[\mu} A_{\nu]}$$

Note: This uses the greek letters μ and ν , and the symbol ∂ .

7. Typeset these (the first is inline, the next two are separate displayed equations):

“Taylor expansion $e^x = \sum_{n=0}^{\infty} \frac{1}{n!} x^n$.”

$$\int_0^1 \frac{df}{dx} dx = f(1) - f(0)$$

$$e^{\zeta(s)} = \prod_{n=1}^{\infty} e^{1/n^s}$$

(This uses the greek letter zeta).

Solutions

Exercise 1: `\begin{align*}`
`a&=b & c&=d & e&=f \\`
`g&=b & h&=d & k&=f`
`\end{align*}`

Note: the star in `align*` is used in order to omit equation numbering.

Exercise 2: `\item Typeset`
`\[`
`a^2=b^2+c^2`
`\]`
`\bigskip`

Exercise 3: Use package *wasysym* for `\female`, `\male`, `\taurus`, *amssymb* for `\boxminus`, and *tipa* for `\textschwa`

Exercise 4: `\[`
`F = G_N\frac{m_1m_2}{r^2}`
`\]`
`\bigskip`

Exercise 5: `\[`
`n_{\pm}(E,T)=\frac{1}{\hbar}\frac{e^{\frac{E}{k_{BT}}}}{k_{BT}}`
`=\frac{1}{\hbar}\frac{e^{\frac{E}{k_{BT}}}}{k_{BT}}`
`\]`
`\bigskip`

Exercise 6: `\[`
`F_{\mu\nu} = [D_{\mu} , D_{\nu}]`
`=\partial_{\mu} A_{\nu}-\partial_{\nu} A_{\mu}`
`=\partial_{\mu} A_{\nu}-\partial_{\nu} A_{\mu}`
`\]`

Exercise 7: ‘‘Taylor expansion $e^x=\sum_{n=0}^{\infty} \frac{1}{n!}x^n$.’’
`\[\int_0^1 \frac{df}{dx}dx= f(1)-f(0)\]`
`\[e^{\zeta(s)}=\prod_{n=1}^{\infty} e^{\frac{1}{n^s}}\]`

Exercises (November 25, 2020):

1. Typeset

$$F = G_N \frac{m_1 m_2}{r^2}$$

2. Typeset

$$n_{\pm}(E, T) = \frac{1}{e^{\frac{E}{k_B T}} \pm 1} = \frac{1}{e^{\hbar\omega/k_B T} \pm 1}$$

Note: This uses the greek letter ω and the symbol \hbar .

3. Typeset

$$F_{\mu\nu} = [D_{\mu}, D_{\nu}] = \partial_{\mu} A_{\nu} - \partial_{\nu} A_{\mu} = \partial_{[\mu} A_{\nu]}$$

Note: This uses the greek letters μ and ν , and the symbol ∂ .

4. Typeset these (the first is inline, the next two are separate displayed equations):

“Taylor expansion $e^x = \sum_{n=0}^{\infty} \frac{1}{n!} x^n$.”

$$\int_0^1 \frac{df}{dx} dx = f(1) - f(0)$$

$$e^{\zeta(s)} = \prod_{n=1}^{\infty} e^{1/n^s}$$

(This uses the greek letter zeta).

5. Typeset these two expressions as separate *displayed equations*:

$$2 \left[3 \frac{a}{z} + 2 \left(\frac{a}{d} + 7 \right) \right] \quad x^2 \left(\sum_n A_n + 3 \left(b + \frac{1}{c} \right) \right) \Big|_0$$

6. Typeset this, using the `multline*` environment:

$$2 \left(1 + \frac{1}{2} + \frac{1}{2^2} + \frac{1}{2^3} + \frac{1}{2^4} + \frac{1}{2^5} + \frac{1}{2^6} + \frac{1}{2^7} + \frac{1}{2^8} + \frac{1}{2^9} + \frac{1}{2^{10}} + \frac{1}{2^{11}} \right) = \frac{4095}{1024}$$

7. Make the first entry of Exercise 5 look like this:

$$2 \left[3 \frac{a}{z} + 2 \left(\frac{a}{d} + 7 \right) \right]$$

Solutions

Exercise 1:
$$F = G_N \frac{m_1 m_2}{r^2}$$

Exercise 2:
$$n_{\pm}(E, T) = \frac{1}{\exp\left(\frac{E}{k_{BT}}\right) \pm 1} = \frac{1}{\exp\left(\frac{\hbar\omega}{k_{BT}}\right) \pm 1}$$

Exercise 3:
$$F_{\mu\nu} = [D_{\mu}, D_{\nu}] = \partial_{\mu} A_{\nu} - \partial_{\nu} A_{\mu} = \partial_{\mu} A_{\nu} - \partial_{\nu} A_{\mu}$$

Exercise 4: ‘Taylor expansion $e^x = \sum_{n=0}^{\infty} \frac{1}{n!} x^n$.’

$$\int_0^1 \frac{df}{dx} dx = f(1) - f(0)$$

$$e^{\zeta(s)} = \prod_{n=1}^{\infty} e^{1/n^s}$$

Exercise 5:
$$2 \left[3 \frac{a}{z} + 2 \left(\frac{a}{d} + 7 \right) \right]$$

 and

$$\left[\left(x^2 \left(\sum_n A_n + 3 \left(b + \frac{1}{c} \right) \right) \right) \right]_0$$

Exercise 6:
$$2 \left(1 + \frac{1}{2} + \frac{1}{2^2} + \frac{1}{2^3} + \frac{1}{2^4} + \frac{1}{2^5} + \frac{1}{2^6} + \frac{1}{2^7} + \frac{1}{2^8} + \frac{1}{2^9} \right) \left(1 + \frac{1}{2^{10}} + \frac{1}{2^{11}} \right) = \frac{4095}{1024}$$

Exercise 7:
$$2 \text{Bigg} \left[3 \frac{a}{z} + 2 \text{bigg} \left(\frac{a}{d} + 7 \right) \text{Bigg} \right]$$

Exercises (December 2, 2020):

1. Typeset these two expressions as separate *displayed equations*:

$$2 \left[3 \frac{a}{z} + 2 \left(\frac{a}{d} + 7 \right) \right] \quad x^2 \left(\sum_n A_n + 3 \left(b + \frac{1}{c} \right) \right) \Big|_0$$

2. Typeset this, using the `multline*` environment:

$$2 \left(1 + \frac{1}{2} + \frac{1}{2^2} + \frac{1}{2^3} + \frac{1}{2^4} + \frac{1}{2^5} + \frac{1}{2^6} + \frac{1}{2^7} + \frac{1}{2^8} + \frac{1}{2^9} + \frac{1}{2^{10}} + \frac{1}{2^{11}} \right) = \frac{4095}{1024}$$

3. Make the first entry of Exercise 1 look like this:

$$2 \left[3 \frac{a}{z} + 2 \left(\frac{a}{d} + 7 \right) \right]$$

4. Typeset:

The Pauli matrices are:

$$\sigma^1 = \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}, \quad \sigma^2 = \begin{pmatrix} 0 & -i \\ i & 0 \end{pmatrix} \quad \text{and} \quad \sigma^3 = \begin{pmatrix} 1 & \\ 0 & -1 \end{pmatrix}$$

Note: The blank in the 2nd entry of the 1st row of σ^3 is a deliberate typo

5. Typset this:

$$\left\| \begin{array}{c|c} a \times b & c + d \\ \alpha & \gamma \\ \hline 3 & 1.1 \end{array} \right\|$$

6. Typeset this:

Jersey	First Name	Last Name
10	Cristiano	Ronaldo
11	Didier	Drogba

7. Modify the previous table to typeset this:

Jersey	First Name	Last Name
10	Cristiano	Ronaldo
10	Edson	Arantes do Nascimento (Pele)
11	Didier	Drogba

Solutions

Exercise 1: $\left[2 \left(3 \frac{a}{z} + 2 \left(\frac{a}{d} + 7 \right) \right) \right]$
and

$\left[\left(x^2 \left(\sum_{n=1}^3 \left(b + \frac{1}{c} \right) \right) \right) \right]_0$

Exercise 2:
$$\begin{aligned} & 2 \left(1 + \frac{1}{2} + \frac{1}{2^2} + \frac{1}{2^3} + \frac{1}{2^4} \right. \\ & \quad \left. + \frac{1}{2^5} + \frac{1}{2^6} + \frac{1}{2^7} \right. \\ & \quad \left. + \frac{1}{2^8} + \frac{1}{2^9} \right) \\ & \left(\frac{1}{2^{10}} + \frac{1}{2^{11}} \right) = \frac{4095}{1024} \end{aligned}$$

Exercise 3: $\left[2 \text{Bigg} \left[3 \frac{a}{z} + 2 \text{bigg} \left(\frac{a}{d} + 7 \text{bigg} \right) \text{Bigg} \right]$

Exercise 4: The Pauli matrices are:
$$\begin{aligned} \sigma^1 &= \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}, \quad \text{quad} \\ \sigma^2 &= \begin{pmatrix} 0 & -i \\ i & 0 \end{pmatrix} \quad \text{quad} \quad \text{and} \quad \text{quad} \\ \sigma^3 &= \begin{pmatrix} 1 & 0 \\ 0 & -1 \end{pmatrix} \end{aligned}$$

Exercise 5:
$$\begin{array}{|r|l|} \hline a \times b & c+d \\ \hline \alpha & \gamma \\ \hline 3 & 1.1 \\ \hline \end{array}$$

Exercise 6:
$$\begin{array}{c} \begin{array}{|c|l|l|} \hline \text{Jersey} & \text{First Name} & \text{Last Name} \\ \hline 10 & \text{Cristiano} & \text{Ronaldo} \\ \hline 11 & \text{Didier} & \text{Drogba} \\ \hline \end{array} \end{array}$$

Exercise 7:
$$\begin{array}{c} \begin{array}{|c|l|l|} \hline \text{Jersey} & \text{First Name} & \text{Last Name} \\ \hline 10 & \text{Cristiano} & \text{Ronaldo} \\ \hline 10 & \text{Edson} & \text{Arantes do Nascimento (Pele)} \\ \hline 11 & \text{Didier} & \text{Drogba} \\ \hline \end{array} \end{array}$$

Exercises (December 9, 2020):

1. Typeset this:

Jersey	First Name	Last Name
10	Cristiano	Ronaldo
11	Didier	Drogba

2. Modify the previous table to typeset this:

Jersey	First Name	Last Name
10	Cristiano	Ronaldo
10	Edson	Arantes do Nascimento (Pele)
11	Didier	Drogba

3. Paste a lot of text into your document, enough for a couple of pages of typeset material, at least 6 good paragraphs.

(*Hint*: Find one good paragraph, copy it into the buffer, and paste it many times into your document).

Then insert your *Dream Team Table* between paragraphs 2 and 3. Include a caption with a `\label{dreamteam}` (you provide the text). Insert `\ref{dreamteam}` somewhere in the text before and again after where you inserted the table.

Typeset once with each of positioning `b`, `t` and `h`.

4. Copy the table and caption and paste into the space between paragraphs 4 and 5. Typeset. Check console (warning on repeated labels).

Change label of second table: `\label{dreamteam2}`. Insert a few `\ref{dreamteam2}` somewhere in the text before and again after where you inserted the table.

5. Resize and crop the triton image to get this:



6. *Experiment* with images just as you did with tables above, and with both tables and figures in the same document. Download additional figures from the web.

Solutions

Exercise 1:

```
\begin{center}
\begin{tabular}{c|l|l}
Jersey & First Name & Last Name \\ \hline
10 & Cristiano & Ronaldo \\ \hline
11 & Didier & Drogba
\end{tabular}
\end{center}
```

Exercise 2:

```
\begin{center}
\begin{tabular}{c|l|l}
Jersey & First Name & Last Name \\ \hline
10 & Cristiano & Ronaldo \\ \hline
10 & Edson & Arantes do Nascimento (Pele) \\ \hline
11 & Didier & Drogba
\end{tabular}
\end{center}
```

Exercise 3: Make sure you leave a blank line between paragraphs!

Exercise 4:

```
\begin{center}
\includegraphics[width=3cm,trim= 7cm 6cm 8cm 1cm,clip]{gl-5-triton.png}+
\end{center}
```